Chaos Terminator Base

Parts List

Standard

Chaos Terminator Squad - Torso and legs
Chaos Terminator Squad - Trophy Racks
Cataphractii Terminator Squad - Arms (Lightning Claws)
Cataphractii Terminator Squad - Arms (handless bolter right arm)
Cataphractii Terminator Squad - Arms (sword left arm)
Cataphractii Terminator Squad - Pauldrons
Havocs - Heads
Space Marines - Miscellaneous helmeted heads (trophies)
Blood Warriors - Khorne Crests
Forge World World Eaters Cataphractii Pauldrons - Blue Stuff mold and re-cast.
Space Martine (pushfit) Terminator Squad - (basing and trophies)

Champion Additional Parts

Berzerkers - Eviscerator (chain axe)
Chaos Terminator Squad - Weapons (chain axe)

Method - Normal

1. Assemble the Chaos Terminator Squad body as normal.
2. Cut the bottom and back of a Havoc Head down so that it fits into the Chaos Terminator Squad body.
3. Dryfit Cataphractii Lightning Claw arms and Cataphractii Pauldrons. Optionally use World Eaters Cataphractii Pauldron (Forge World) or other designs.
4. Take a Blood Warrior head with a Khornate crest, cut out the head leaving the crest and attach it to the arched section of the Terminator Cowl.
    a. Remove spikes as required, varies by crest and torso combination.
    b. Cut and sand a matching curve into the crest.
    c. Cut and sand a flat area at the bottom of the back of the crest so it can sit flush with the square face of the Chaos Terminator Torso when it is sitting on the arch around the head.
5. Dry fit the arms, crest, head and Chaos Terminator Squad Trophy Racks. The racks will have clearance for the pauldrons but some will need filed down to fit behind the crest.
    a. Using Greenstuff and glue/cement attach the crest.
    b. Attach the arms.
    c. Using Greenstuff and glue/cement attach the head.
6. Use the crest as a guide to adjust the trophy racks (bend/sand/cut as required) and attach them.
7. Base using Space Marine Terminator Squad.
    a. Assemble then cut down, bend, reposition and sand flat elements.
    b. Create battle damage with saws and knives, use plastic cement to smooth battle damage to match existing detail smoothness and edge sharpness.

Method - Leader

1. Assemble the Chaos Terminator Squad body as normal.
2. Cut the bottom and back of a Havoc Head down so that it fits into the Chaos Terminator Squad body.
3. Create the left arm.
    a. Take the Cataphractii sword arm and cut the sword blade and pommel off, leaving an arm with a clenched/gripping hand.
    b. Take the Berzerker Eviscerator arm. Cut the right hand out of the long handle and connect the two parts back together creating a shorter handle but without the hand.
    c. Cut out the left hand from behind the axe head.
    d. Sand down the Cataphractii arm hand and the gap in the Eviscerator to allow the hand to slow into the gap.
    e. Dryfit then glue together at the correct angle.
4. Create the right arm.
    a. Take the Cataphractii handless right arm and the Chaos Terminator Squad right arm with Chain Axe..
    b. Cut the Chaos Terminator Squad weapon arm at the wrist.
    c. Dry fit then glue the hand and weapon to the wrist of the Cataphractii handless right arm.
5. Dry fit the arms and Cataphractii Pauldrons. Optionally use World Eaters Cataphractii Pauldron (Forge World) or other designs.
6. Take a Blood Warrior head with a Khornate crest, cut out the head leaving the crest and attach it to the arched section of the Terminator Cowl.
    a. Remove spikes as required, varies by crest and torso combination.
    b. Cut and sand a matching curve into the crest.
    c. Cut and sand a flat area at the bottom of the back of the crest so it can sit flush with the square face of the Chaos Terminator Torso when it is sitting on the arch around the head.
7. Dry fit the arms, crest, head and Chaos Terminator Squad Trophy Racks. The racks will have clearance for the pauldrons but some will need filed down to fit behind the crest.
    a. Using Greenstuff and glue/cement attach the crest.
    b. Attach the arms and pauldrons.
    c. Using Greenstuff and glue/cement attach the head.
8. Use the crest and Pauldrons as a guide to adjust the trophy racks (bend/sand/cut as required) and attach them.
9. Base using Space Marine Terminator Squad.
    a. Assemble then cut down, bend, reposition and sand flat elements.
    b. Create battle damage with saws and knives, use plastic cement to smooth battle damage to match existing detail smoothness and edge sharpness.

Cataphractii Terminator Base

Parts List

Standard

Cataphractii Terminator Squad - Torso and legs
Cataphractii Terminator Squad - Arms (Heavy Flamers)
Cataphractii Terminator Squad - Arms (Chainfists)
Cataphractii Terminator Squad - Heads
Cataphractii Terminator Squad - Pauldrons
Eightbound - Chest plates
Space Marines - Miscellaneous helmeted heads (trophies)
Space Marines (40K and 30K) - Miscellaneous pouches, grenades etc
Blood Warriors - Armour panels (as thigh guards)
Wrathmongers - Loincloth/tabards and thigh guards
Wrathmongers - Khorne Icons
Wrathmongers - Khorne Crests
Forge World World Eaters Cataphractii Pauldrons - Blue Stuff mold and re-cast.

Champion Additional Parts

Custodes - Miscellaneous helmeted heads (trophies)
Contekar Terminator - Heavy Flamer Left Arm
Tartaros Terminator Squad - Pauldrons
Tartaros Terminator Squad - Heavy Flamer Right Arm

Method - Normal

1. Cataphractii Instruction - Complete the first part of step 1a using parts 15 and 16.
2. Take the back of the Cataphractii torso (part 7) and an Eightbound Chest Armour, dry fit them together with blutack.
    a. The Eightbound Chest Armour has a gap where the arm would typically pass through. Align the bottom of the inside of this gap with the bottom of the semi circle on the Cataphractii Torso that denotes where the arms are typically attached. Align this on both sides. This should also align the ‘shelf’ that the head sits on for the Cataphractii Torso with the top of the Eightbound Chest Armour.
3. Take a Wrathmonger front armour part. Cut, flatten, and bend the thigh and body armour portions to allow it to sit on the lower chest, midsection and thighs of the Cataphractii legs depending on the piece used. This can include quite an extreme bend so you’re likely to see near white appear on the plastic from stress.
4. Dry fit everything from steps 1 through 3. Note angles and how much blutack is required to fill out the Torso while holding it together and sitting correctly on the legs. The Torso should sit a little higher as a result of the blutack.
5. Assemble the Cataphractii Heavy Flamer (right arm).
6. Select a Cataphractii Chainfist (left arm).
7. Dryfit Cataphractii arms and pauldrons. Optionally use World Eaters Cataphractii Pauldron (Forge World) or other designs.
8. Take a Wrathmonger head with a Khornate crest, cut out the head leaving the crest and attach it to the arched section of the Cataphractii Torso.
    a. Cut and sand a matching curve into the crest.
    b. Cut and sand a flat area at the bottom of the back of the crest so it can sit flush with the square face of the Cataphractii Torso when it is sitting on the arch around the head.
9. Confirm both arms, both pauldrons and the crest have clearance for each other and attach them.
10. Combine the two Torso parts with Greenstuff.
11. Use the Greenstuff filling the Torso to connect the Torso to the Legs.
12. Glue the Wrathmonger armour piece in place.
13. Insert a Cataphractii Head, angled to make sense with the body and weapons.
14. Take one of the Wrathmonger Khornate symbol back pieces and attach it to the back of the top of the Cataphractii Torso carapace. Consider drilling a ~1.5 mm hole.
15. Fill in the extended gap from the taller height around the back and sides using pouches, grenades, etc.
    a. Sourced from Horus Heresy Tactical Squads and some 40K Space Marines.
16. Attach arms and pauldrons as dryfitted.
17. Take assorted skulls and chains and attach them as required.

Method - Leader

1. Cataphractii Instruction - Complete the first part of step 1a using parts 15 and 16.
2. Take Wrathmonger part 21C. Flatten it and bend the thigh armour portion to allow it to sit on the midsection and left thigh of the Cataphractii legs. This is quite an extreme bend so you're likely to see near white appear on the plastic from stress.
3. Take the back of the Cataphractii torso (part 7) and an Eightbound Chest Armour, dry fit them together with blutack.
    a. The Eightbound Chest Armour has a gap where the arm would typically pass through. Align the bottom of the inside of this gap with the bottom of the semi circle on the Cataphractii Torso that denotes where the arms are typically attached. Align this on both sides. This should also align the 'shelf' that the head sits on for the Cataphractii Torso with the top of the Eightbound Chest Armour.
4. Dry fit everything from steps 1 through 3. Note angles and how much blutack is required to fill out the Torso while holding it together and sitting correctly on the legs. The Torso should sit a little higher as a result of the blutack.
5. Glue the Wrathmonger armour piece onto the legs.
6. Combine the two Torso parts with Greenstuff.
7. Use the Greenstuff filling the Torso to connect the Torso to the Legs.
8. Assemble the Tartaros Heavy Flamer (right arm).
9. Using the **left** Tartaros Pauldron on the **right** arm (the circle should be at the back of the shoulder) and the top part of the right Cataphractii Pauldron dry fit the Tartaros Heavy Flamer arm, then the Tartaros Pauldron and finally the Cataphractii Pauldron on the model.
    a. The top of the pauldron should be in line with or just below the top of the Cataphractii carapace.
    b. The back of the Cataphractii Pauldron piece should end roughly in line with the bottom of the circle on the 'back' of the Tartaros Pauldron.
    c. The arm connection point may need to be filled out with Greenstuff and flattened.
10. Carry out the same process for the left arm using the Contekar Terminator - Heavy Flamer Left Arm but use a World Eaters Cataphractii Pauldron (Forge World).
11. Take a Wrathmonger head with a Khornate crest, cut out the head leaving the crest and attach it to the arched section of the Cataphractii Torso.
    a. Cut and sand a matching curve into the crest.
    b. Cut and sand a flat area at the bottom of the back of the crest so it can sit flush with the square face of the Cataphractii Torso when it is sitting on the arch around the head.
12. Confirm both arms, both pauldrons and the crest have clearance for each other and attach them.
13. Insert a Cataphractii Head, angled to make sense with the body and weapons.
14. Take one of the Wrathmonger Khornate symbol back pieces and attach it to the back of the top of the Cataphractii Torso carapace. Consider drilling a ~1.5 mm hole.
15. Fill in the extended gap from the taller height around the back and sides using pouches, grenades, etc.
    a. Sourced from Horus Heresy Tactical Squads and some 40K Space Marines.
16. Take assorted skulls and chains and attach them as required.